

Hand pumps

PMSE 8-15 s

Tech sheet


DETAILS

with release hand knob
single acting hand pump for a single acting cylinder
for fixing to tank



SPECIFICATIONS

Cast iron body
Piston treated with Niploy
Iron cast support lever
Lever connection Ø 20
White zinc plated external parts
Standard colour black
Oil tank mounting kit included

HYDRAULIC DIAGRAM



EFFORT DIAGRAM

[illegible]

Hand pumps

PMSE 8-15 byB-s

Tech sheet


DETAILS

- with release hand knob
- with pressure relief valve
- single acting hand pump for a single acting cylinder
- for fixing to tank



SPECIFICATIONS

Cast iron body
Piston treated with Niploy
Iron cast support lever
Lever connection Ø 20
White zinc plated external parts
Standard colour black
Oil tank mounting kit included
Pressure relief valve standard
setting: 100 bar

HYDRAULIC DIAGRAM



EFFORT DIAGRAM

[illegible]

Hand pumps

PMSE 8-15 e-s

Tech sheet


DETAILS

without release hand knob
single acting hand pump for a single acting
cylinder for fixing to tank



SPECIFICATIONS

Cast iron body
Piston treated with Niploy
Iron cast support lever
Lever connection Ø 20
White zinc plated external parts
Standard colour black
Oil tank mounting kit included

HYDRAULIC DIAGRAM



EFFORT DIAGRAM

[illegible]

Hand pumps

PMSE 8-15 by A-e-s

Tech sheet


DETAILS

without release hand knob
with pressure relief valve
single acting hand pump for a single acting
cylinder for fixing to tank



SPECIFICATIONS

Cast iron body
Piston treated with Niploy
Iron cast support lever
Lever connection Ø 20
White zinc plated external parts
Standard colour black
Oil tank mounting kit included
Pressure relief valve standard
setting: 100 bar

HYDRAULIC DIAGRAM



EFFORT DIAGRAM

[illegible]

Hand pumps

PMSE 8-15 byA-s

Tech sheet


DETAILS

- with release hand knob
- with integrated pressure relief valve
- single acting hand pump for a single acting cylinder
- for fixing to tank



SPECIFICATIONS

Cast iron body
Piston treated with Niploy
Iron cast support lever
Lever connection Ø 20
White zinc plated external parts
Standard colour black
Oil tank mounting kit included
Pressure relief valve standard
setting: 100 bar

HYDRAULIC DIAGRAM



EFFORT DIAGRAM

[illegible]